ಅ) ಕರ್ನಾಟಕ ರಾಜ್ಯ ಸಣ್ಣ ಕೈಗಾರಿಕೆಗಳ ಅಭಿವೃದ್ಧಿ ನಿಗಮ ನಿಯಮಿತವು ಕೈಗಾರಿಕಾ ಕೇಂದ್ರಗಳನ್ನು ತೆರೆದಿರುವುದಿಲ್ಲ. ಅದು ಕೈಗಾರಿಕಾ ವಸಾಹತ್ತುಗಳನ್ನು ಸ್ಥಾಪಿಸಿರುತ್ತದೆ. ಅವುಗಳ ಸಂಖ್ಯೆ : 125, ನಿರ್ಮಿಸಿರುವ ಶೆಡ್‌ಗಳ ಸಂಖ್ಯೆ : 5479.

ಆ) ಬೈಕಂಪಾಡಿಯಲ್ಲಿ ಸಣ್ಣ ಕೈಗಾರಿಕಾ ಕೇಂದ್ರವನ್ನು ಸ್ಥಾಪಿಸಿರುವುದಿಲ್ಲ. ಅಲ್ಲಿಯ ಕೈಗಾರಿಕಾ ವಸಾಹತ್ತುವಿನಲ್ಲಿ ವಿವಿಧ ಮಾದರಿಯ 182 ಶೆಡ್ಡುಗಳನ್ನು ನಿರ್ಮಿಸಲಾಗಿದೆ. ಹಾಗೂ 48 ನಿವೇಶನಗಳನ್ನು ನಿರ್ಮಿಸಲಾಗಿದೆ.

ಇ) ಈ ಮಳಿಗೆಗಳನ್ನು ಸಣ್ಣ ಕೈಗಾರಿಕೆ ಸ್ಥಾಪಿಸಲು ನಿರ್ಮಿಸಲಾಗಿದೆ.

ಈ) 169

ಉ) 13

ಊ) ಈ ಶೆಡ್ಡುಗಳು ಇತ್ತೀಚೆಗಷ್ಟೇ ನಿರ್ಮಿಸಿದ್ದು ಅವುಗಳನ್ನು ವಿತರಿಸಲು ಅರ್ಜಿಗಳನ್ನು ಆಹ್ವಾನಿಸಲಾಗಿದ್ದು ವಿತರಣಾ ಪ್ರಕ್ರಿಯ ಪ್ರಾರಂಭಿವಾಗಿದೆ.

## Drinking Water Supply of Narasimharaja Constituency

432 - SRI E. MARUTHI RAO PAWAR (NARASIMHARAJA) : Will the Hon'ble Minister for Urban Development be Pleased to State?

1. *What is the estimated cost and amount released for the work of laying 6" dia. Water supply pipeline from German presss zonal Reservoir to Kyathamaranahally, Kanteerava Narasimharajapura, Udayagiri, Gowsianagara, Shanthinagar, Raghavendra layout, Vidyanagar, Raghavendranagar, Siddartha layout under Narasimharaja Constituency, Mysore?*
2. *Has this work Started?*
3. *If started, when the work of zonal reservoir will be completed and water will be supplied to the residents of the layout?*

Sri. B.N. Bachegowda (Minister for Urban Development) :

1. Estimate for providing 600 mm and 400 mm dia. pipeline from German Press Zonal Reservoir for providing water supply to Kyathamaranahally, Udayagiri, Siddarathanagar extension is approved for Rs. 61.21 lakhs under

main scheme. Action will be taken to invite the tenders for the above work. There is no provision in the sanctioned estimate for providing 6 dia pipeline.

2. No

3. This work will be completed by December 97 and then water supply to the residents of the layout will be provided.

## Water Supply to Gokak

433 - SRI. CHANDRASHEKHAR NAIK (Gokak) : Will the Hon'ble Minister for Urban Development be pleased to State ?

1. *Whether it has come to the notice of the Govt. that a representation about an estimate submitted for water supply to Gokak City from Gokak falls as source?*
2. *How much amount is released for this work?*
3. *When the work will commence?*
4. *How much time is required to complete the work?*

Sri. B.N. Bachegowda (Minister for Urban Development) :

1. Yes. Action has been taken up to prepare a scheme. The survey work is completed. Plans and Estimates are under preparation.

2. Does not arise in view of the above reply.

3. The work will be taken up after approval of the scheme from the Government.

4. Does not arise at this stage.

## Drinking water problem in Badami

435 - SRI. B.B. CHIMMANAKATTI (Badami) : Will the Hon'ble Minister for Urban Development be pleased to State ?

1. *Whether the drinking water problem of Badami town has come to the notice of the Government?*